

Flood Certification
I have examined the Flood Insurance Rate Map for Union County North Carolina, Community
Panel Number 3710447600J, dated October 16, 2008 and hereby certify that this property is
not located in a special flood hazard area as determined by the Federal Emergency
Management Agency.

Use of land within a flood way or flood plain XXIV of the Union County Land Use Ordinance is substantially restricted by Article

- Maintenance of all storm drainage easements as shown on plat is the responsibility of the property owner or assigns - The purpose of the storm drainage easement (SDE) is to provide storm water conveyance. Buildings are not permitted in the easement area. Any other objects which impede storm water flow or system maintenance are also prohibited.

3'-0"-

12'-0"

13'-0"

12

50' R/W

(MINIMUM)

25

Notes:

Certificate of Survey and Accuracy
State of North Carolina, Union County
I, F. Donald Lawrence, certify that this plat was drawn under my supervision from an actual survey made under my supervision (deed recorded in Book and Page as shown); that the boundaries not surveyed are clearly indicated as dashed lines drawn from adjoining owners deeds as shown; that the ratio of precision as calculated is 1:10,000 or better; that this plat was prepared in accordance with G.S. 47-30 as amended.

This survey creates a subdivision of land within the area of a county or municipality that has an ordinance that regulates parcels of land.

Witness my original signature, registration number and seal this the

,A.D., 20_

F. Donald Lawrence, NCPLS L-1290

l, ______ a duly registered Professional Engineer, licensed in the State of North Carolina, do hereby certify that the drainage easements shown on this plat are sufficient to carry the 100 year storm runoff within the easement limits as shown. N.C.P.E. #_

TYPICAL PAYEMENT SECTION DRIVE LANES (PER NODOT STANDARDS)
N.T.S.

NOTE: * ALL CURB & GUTTER MUST BE SET ON 6" ABC: ** 75% IS IDEAL

SUBGRADE 100% COMPACTED

TACK COAT

6

Ø,

LOCAL RESIDENTIAL STREET

②

BASE COURSE 10" COMPACTED AGGREGATE BASE COURSE

INTERMEDIATE COURSE 1.5" \$9.5B IMMEDIATELY UPON ABC OR ASPHALT BASE PLACEMENT.

SURFACE COURSE 1.5" S9.5B FINAL LIFT TO BE APPLIED WHEN HOUSING DENSITY REQUIREMENTS** ARE MET BUT BEFORE NCDOT TAKE OVER FOR MAINTENANCE.

® 2' VALLEY CURB
S 4' CONC. SIDEWALK

(Signature and Seal)

Certificate of Ownership and Dedication

I Hereby certify that I am the owner of the property shown and described hereon, which is located in the subdivision jurisdiction of the Town of Weddington and that I hereby adopt this plan of subdivision with my free consent, establish minimum building setback lines, and dedicated all streets, alleys, walks, and other sites and easements to public or private use as noted.

Signature of owner(s)

Certificate of approval of the design and installation of streets, utilities, and other required improvements.

I hereby certify that all streets and other required improvements have been installed in as acceptable manner and according to NC Department of Transportation and/or Town of Weddington specifications and standards in the Carringdon Subdivision or that guarantees of the installation of the required improvements in an amount and manner satisfactory to the Town of Weddington have been given and received.

Mayor of the Town of Weddington, North Carolina Date

Certificate of Approval

I hereby certify that the subdivision plat shown hereon has been found to co the Subdivision Regulations of the Town of Weddington, North Carolina and th plat has been approved by the Weddington Town Council for recording in the of the Register of Deeds of Union County, North Carolina. Office

day of 2008.

Mayor of the Town of Weddington, North Carolina

S47°40'26"E

REBAR SET AT ALL CORNERS UNLESS NOTED OTHERWISE.

AREAS COMPUTED USING COORDINATE GEOMETRY.

THIS MAP WAS PREPARED WITHOUT THE BENEFIT OF A TITLE SEARCH. SURVEY SUBJECT TO FULL TITLE SEARCH.

THIS PROPERTY MAY BE SUBJECT TO RIGHT OF WAYS, EASEMENTS OR RESTRICTIONS EITHER RECORDED OR IMPLIED.

ALL ADJOINING PROPERTY OWNER INFORMATION IS TAKEN FROM CURRENT DEEDS AND TAX RECORDS AND ARE CONSIDERED "NOW OR FORMERLY".

ALL DISTANCES SHOWN ARE HORIZONTAL GROUND DISTANCES

LAWRENCE ASSOCIATES MAKES NO GUARANTEES TO THE COMPACTION OR TO THE NONEXISTENCE OF ADDITIONAL SPOILS AREAS.

BROKEN LINES INDICATE PROPERTY LINES NOT SURVEYED.

STRUCTURES SHOWN ON ADJOINING PROPERTIES WERE TAKEN FROM ENGINEERING PLANS BY OTHERS AND ARE SHOWN FOR ILLUSTRATIVE PURPOSES ONLY. LAWRENCE ASSOCIATES MAKES NO GUARANTEE TO THE ACCURACY OF THEIR LOCATION.

Date

Direction S18*44'32"E N56°01'34"W S07.42'05"W S06*50'35"W S07"14"25"W S07'14'58"W S15*42'23"W N69"49"02"W N69*51'42"W N60°59'21"E S03"12"43"W Line Table S06°52'14"W S06°55'13"W S07"17"57"W S85*17'36"E S51°35'14"W S18*44'32"E S07"10"31"W S51*35'14"W 130.05 94.93 100.11 121.87 104.14 Length 90.23 67.16 13.75 67.25 97.92 52.72 63.16 51.23 92.19 49.45 41.31 71.37 92.34 Line # L34 L33 L29 L28 L27 L26 L25 L37 L36 L32 L24 L31 N28*51*15"E N20°09'34"E N06°50'35"E N29°58'45"W S20'09'34"W S20'09'34"W N69°50'26"W N07"14"25"E N07"10"31"E N07"17"57"E N55*54'06"E N20°09'34"E S29°58'45"E N07°22'55"E N06*55'13"E N06*52'14"E Line Table S69*50'26"E Direction

L7 6 L3 7

180.84

L12

 Ξ 6

L16

86.43

50.00 50.00

50.00 50.00

19.01

C37 C38

118.06

C39

39.27 43.57

25.00

N24*50*26"W

425.00 425.00

S50°59'16"E

43.55 35.36

353.43 | 225.00

N65'09'34"E

318.20

C35 C34 C33

147.56 147.56

425.00

4.59

425.00

C32 C31 C30 C29

147.56

72.76 47.73 202.72

425.00

30.00

147.56

425.00 425.00

425.00

C20	C19	C18	C17	C16	C15	C14	C13	C12	C11	C10	63	C8	С7	C6	C5	C4	С3	C2	C1	Curve #	
95.48	47.08	39.27	75.32	50.87	132.44	7.03	26.09	181.22	181.22	15.94	110.75	110.75	194.53	39.27	85.57	70.97	249.73	46.81	191.81	Length	
275.00	275.00	25.00	475.00	475.00	525.00	525.00	450.00	450.00	450.00	275.00	275.00	275.00	275.00	25.00	225.00	225.00	275.00	30.00	1040.10	Radius	Curve
N39*54*54*E	N25°03'50"E	S65*09'34"W	N65*17'54"W	N57*41'17"W	N61*50'49"W	N69°27'26"W	N71°30'05"W	N84*41*57"W	S72"13'37"W	N71*30'05"W	N84*41'57"W	S72°13'37"W	S40°25'29"W	N65*09'34"E	S58*56'45"E	S39 ° 00'54"E	N55*59'42"W	S3718'52"E	S52 : 57'25"E	CHORD BEARING	Table
95.00	47.02	35.36	75.24	50.84	132.09	7.03	26.08	180.00	180.00	15.94	110.00	110.00	190.50	35.36	85.05	70.67	241.24	42.20	191.54	CHORD	

13.99 86.43 50.56

50.00

67.26 97.88

71.29 90.20

42.71

able				Curve	Table
CHORD BEARING	CHORD	Curve #	Length	Radius	CHORD
N59°48'28"E	95.00	C41	39.27	25.00	
N79*42'03"E	95.00	C42	46.78	225.00	S26*06'55"W
S80°24'23"E	95.00	C43	43.60	218.00	S42°22'41"W
S70°09'01"E	2.97	C44	225.76	225.00	S81*24'52"W
S61*52'58"E	76.15				
S50*59*16"E	28.18				
S42*12*55*E	55.92				
S3310'46"E	30.71				
N55 · 47 · 23"W	195.93				
S52*49'12"W	42.85				
N25'03'50"E	72.67				
N39*54*54"E	146.82				
N59*48'28"E	146.82				
N79*42'03"E	146.82				
S80*24'23"E	146.82				
S70°09'01"E	4.59				
S61*52'58"E	117.68				
)	1				

C27

56.02 30.72

C28

275.00 275.00

225.00

C26 C25 C24

28.19

275.00

76.39

275.00

2.97

275.00

C23

95.48 95.48 95.48

275.00

216.41 43.53 46.69 35.36

C22

275.00

275.00

Length

CHORD BEAF

HORD BEARING

CHORD

Curve Table

NCDOT Construction Standards Certification

I hereby certify that the streets on this plat designated as public are or will be in accordance with the minimum right of way and construction standards established by the Board of Transportation for acceptance on the State Highway System.

Ownership of all Common Open Space (COS) and Conservation Land shall be retained by MI Homes of Charlotte, LLC until such time as a Homeowners Association (HOA) entity has been created. Ownership will be conveyed to that HOA no later than the closing of the last home.

Note: Roadway Horizontal/Vertical Alignment and Grades were taken from design plans, not asbuilt data.

District Engineer Date

State of North Carolina County of Union

County, certify that the map or plat to will certification is affixed meets all statutory for recording. Officer of Union which this requirements

LAWRENCE ASSOCIATES

Final Record Plat of Sheet 2 of 2

<u>REVISIONS</u> 05/09/17 JLH

Owner: MI Homes of Charlotte, LLC Carringdon - Phase 1 - Map 2

Town of Weddington

Review Officer Job No. 3756-4047 Drawing file:


106 W. Jefferson St. Monroe, North Carolina 28112 P 704-289-1013 F 704-283-9035 www.lawrencesurveying.com Firm License Number: C-2856 Orig.

Sandy Ridge Township, Union County, NC January 25, 2017 Ву:

3756-4047 RM Phase 2.dwg

Drawing no.

17/025



Flood Certification I have examined the Flood Insurance Rate Map for Union County North Carolina, Community Panel Number 3710447600J, dated October 16, 2008 and hereby certify that this property is not located in a special flood hazard area as determined by the Federal Emergency Management Agency.

Use of land within a flood way or flood plain is substantially restricted by Article XXIV of the Union County Land Use Ordinance.

Certificate of Survey and Accuracy State of North Carolina, Union County

I, F. Donald Lawrence, certify that this plat was drawn under my supervision from an actual survey made under my supervision (deed recorded in Book and Page as shown): that the boundaries not surveyed are clearly indicated as dashed lines drawn from adjoining owners deeds as shown; that the ratio of precision as calculated is 1:10,000 or better; that this plat was prepared in accordance with G.S. 47—30 as amended.

This survey creates a subdivision of land within the area of a county or municipality that has an ordinance that regulates pa

Witness my original signature, registration numb _,A.D., 20_ CPLS L-1290 F. Donald La

___, a duly registered Professional Engineer, licensed in the State of North Carolina, do hereby certify that the drainage easements shown on this plat are sufficient to carry the 100 year storm runoff within the easement limits as shown.

N.C.P.E. #_____ (Signature and Seal)

Certificate of Ownership and Dedication

I Hereby certify that I am the owner of the property shown and described hereon, which is located in the subdivision jurisdiction of the Town of Weddington and that I hereby adopt this plan of subdivision with my free consent, establish minimum building setback lines, and dedicated all streets, alleys, walks, and other sites and easements to public or private use as noted.

Signature of owner(s) Date

Certificate of approval of the design and installation of streets, utilities, and other required improvements.

I hereby certify that all streets and other required improvements have been installed in as acceptable manner and according to NC Department of Transportation and/or Town of Weddington specifications and standards in the Carringdon Subdivision or that guarantees of the installation of the required improvements in an amount and manner satisfactory to the Town of Weddington have been given and received.

Mayor of the Town of Weddington, North Carolina Date

Certificate of Approval

I hereby certify that the subdivision plat shown hereon has been found to comply with the Subdivision Regulations of the Town of Weddington, North Carolina and that this plat has been approved by the Weddington Town Council for recording in the Office of the Register of Deeds of Union County, North Carolina.

This ____, 2008.

Mayor of the Town of Weddington, North Carolina

<u>NOTES</u>

REBAR SET AT ALL CORNERS UNLESS NOTED OTHERWISE.

AREAS COMPUTED USING COORDINATE GEOMETRY.

THIS MAP WAS PREPARED WITHOUT THE BENEFIT OF A TITLE SEARCH. SURVEY SUBJECT TO FULL TITLE SEARCH.

THIS PROPERTY MAY BE SUBJECT TO RIGHT OF WAYS, EASEMENTS OR RESTRICTIONS EITHER RECORDED OR IMPLIED.


ALL ADJOINING PROPERTY OWNER INFORMATION IS TAKEN FROM CURRENT DEEDS AND TAX RECORDS AND ARE CONSIDERED "NOW OR FORMERLY".


ALL DISTANCES SHOWN ARE HORIZONTAL GROUND DISTANCES

LAWRENCE ASSOCIATES MAKES NO GUARANTEES TO THE COMPACTION OR TO THE NONEXISTENCE OF ADDITIONAL SPOILS AREAS.

BROKEN LINES INDICATE PROPERTY LINES NOT SURVEYED.

STRUCTURES SHOWN ON ADJOINING PROPERTIES WERE TAKEN FROM ENGINEERING PLANS BY OTHERS AND ARE SHOWN FOR ILLUSTRATIVE PURPOSES ONLY. LAWRENCE ASSOCIATES MAKES NO GUARANTEE TO THE ACCURACY OF





Curve Table									
Curve #	Length	Radius	CHORD BEARING	CHORD					
C3	168.46	2303.19	N49*55'19"W	168.42					
C4	199.80	3160.19	N55°00'55"W	199.76					
C5	428.37	3303.58	N60°32'29"W	428.07					
C6	432.26	3333.58	N60°32'29"W	431.96					
C7	629.49	4178.87	N51°59'22"W	628.89					
C8	47.00	30.00	N52*17'58"E	42.34					
C9	42.70	275.00	N87°16'11"W	42.66					
C10	34.78	25.00	S51°51'42"E	32.04					
C11	184.89	255.00	N32°46'33"W	180.86					
C12	7.05	255.00	N54°20'22"W	7.05					
C13	39.50	255.00	N59°34'11"W	39.46					
C14	102.69	255.00	N75°32'41"W	102.00					
C15	109.43	255.00	S80°37'30"W	108.59					
C16	41.11	255.00	S63°42'47"W	41.07					
C17	28.70	25.00	S88°01'07"E	27.15					
C18	17.75	250.00	N57°09'57"W	17.75					
C19	100.06	250.00	N70 ° 39'57"W	99.39					
C20	5.96	25.00	S75"18'15"E	5.94					
C21	15.07	25.00	S51°12'34"E	14.84					
C22	113.87	50.00	S80°49'02"W	90.81					
C23	127.32	50.00	S57°22'21"E	95.60					

Curve Table						
Curve #	Length	Radius	CHORD BEARING	CHORD		
C24	21.03	25.00	S73°46'25"W	20.41		
C25	113.41	250.00	N69°08'06"W	112.44		
C26	4.39	250.00	N55*38'07"W	4.39		
C27	47.59	275.00	S60°05'23"E	47.53		
C28	103.15	275.00	S75°47'34"E	102.54		
C29	24.86	275.00	S89'07'41"E	24.86		
C30	34.94	225.00	N87°16'11"W	34.90		
C31	47.14	30.00	N37°48'29"W	42.44		
C32	122.41	225.00	S70°43'05"E	120.91		
C33	48.80	25.00	N37*46'38"E	41.41		
C34	132.35	205.00	N36°38'13"W	130.06		
C35	180.09	205.00	N8017'56"W	174.36		
C36	56.58	25.00	N9*42'04"E	45.25		
C37	46.24	3290.19	N53*52'55"W	46.24		
C38	129.77	3290.19	N55°24'52"W	129.76		
C39	16.21	3290.19	N56°41'07"W	16.21		
C40	49.05	3433.58	N57"14'09"W	49.05		
C41	110.20	3433.58	N58*33'52"W	110.20		
C42	110.47	3433.58	N60°24'21"W	110.47		
C43	110.86	3433.58	N62"15'09"W	110.85		
C44	64.64	3433.58	N63°43'00"W	64.64		

	Line Table	•
Line #	Direction	Length
L1	S09*26'30"W	8.24
L2	S07'42'08"W	134.72
L3	N48°02'07"W	66.62
L4	N47*49'36"W	168.74
L5	N52*01'03"W	86.47
L6	N53°12'15"W	102.71
L7	N56*49'35"W	44.80
L8	N6415'22"W	90.97
L9	N65*52'59"W	100.00
L10	N66°38'01"W	125.00
L11	N6717'35"W	125.00
L12	N67*58'50"W	146.43
L13	N67*58'50"W	150.49
L14	N6717'35"W	125.35
L15	N66°38'01"W	125.37
L16	N65*52'59"W	100.62
L17	N6415'22"W	91.40
L18	N56*49'35"W	59.62
L19	N47*40'26"W	44.00
L20	S70"11'19"W	28.30

Line #

L21

L22

L23

L24

L25 L26

L27 L28 L29

L30

L31

L32

L33

L34

L35 L36

L37 L38

L39

L40

			Line Table
Length		Line #	Direction
22.49		L41	N07*25'48"E
51.57		L42	N07°04'19"E
41.29		L43	N07°13'55"E
90.25		L44	N06*51'58"E
71.61		L45	N07°01'26"E
98.06		L46	N07°15'39"E
67.22		L47	N07°25'12"E
100.15		L48	S82 ° 49'16"E
52.81		L49	N88°16'54"E
48.76		L50	N88°16'54"E
57.26		L51	S55°07'55"E
52.87		L52	S82°07'53"E
50.96		L53	S82°07'53"E
53.83		L54	N82°07'53"W
42.43		L55	N82°07'53"W
49.48		L56	S88*16'54"W
50.81		L57	S88*16'54"W
48.03		L58	N82*49'16"W
48.03		L59	N07"12'18"E
50.94		L60	N07°17'57"E
	22.49 51.57 41.29 90.25 71.61 98.06 67.22 100.15 52.81 48.76 57.26 52.87 50.96 53.83 42.43 49.48 50.81 48.03	22.49 51.57 41.29 90.25 71.61 98.06 67.22 100.15 52.81 48.76 57.26 52.87 50.96 53.83 42.43 49.48 50.81 48.03	22.49 L41 51.57 L42 41.29 L43 90.25 L44 71.61 L45 98.06 L46 67.22 L47 100.15 L48 52.81 L49 48.76 L50 57.26 L51 52.87 L52 50.96 L53 53.83 L54 42.43 L55 49.48 L56 50.81 L57 48.03 L59

	Line Table	
Line #	Direction	Length
L41	N07°25'48"E	49.56
L42	N07*04'19"E	42.47
L43	N07°13'55"E	53.86
L44	N06*51'58"E	50.99
L45	N07°01'26"E	52.80
L46	N07*15'39"E	57.19
L47	N07*25'12"E	49.23
L48	S82*49'16"E	100.61
L49	N88*16'54"E	9.20
L50	N88°16'54"E	15.99
L51	S55°07'55"E	79.43
L52	S82°07'53"E	10.22
L53	S82°07'53"E	104.10
L54	N82*07'53"W	24.58
L55	N82*07'53"W	77.74
L56	S88'16'54"W	92.41
L57	S88'16'54"W	16.76
L58	N82*49'16"W	100.50
L59	N07"12'18"E	109.86
L60	N07"17'57"E	98.10

	Line Table	
Line #	Direction	Length
L61	N06°55'13"E	71.69
L62	N06°50'35"E	90.27
L63	N06*52'14"E	41.09
L64	N07*59'28"E	51.48
L65	N07*24'16"E	10.39
L66	N55°07'55"W	108.94
L67	N74°25'19"W	21.19
L68	N55°07'55"W	29.76
L69	N35*50'31"W	21.19
L70	N55°07'55"W	98.21
L71	S56*49'35"E	44.80
L72	S64"15'22"E	46.41
L73	S65*52'59"E	63.60
L74	S65*52'59"E	39.09
L75	S66*38'01"E	126.60
L76	S6717'35"E	126.53
L77	S67*58'50"E	12.21
L78	S6415'22"E	46.41

NCDOT Construction Standards Certification

I hereby certify that the streets on this plat designated as public are or will be in accordance with the minimum right of way and construction standards established by the Board of Transportation for acceptance on the State Highway System.

District Engineer Date

State of North Carolina County of Union

Review Officer of Union County, certify that the map or plat to which this certification is affixed meets all statutory requirements for recording.

Date Review Officer Ownership of all Common Open Space (COS) and Conservation Land shall be retained by MI Homes of Charlotte, LLC until such time as a Homeowners Association (HOA) entity has been created. Ownership will be conveyed to that HOA no later than the closing of the last home.

Note: Roadway Horizontal/Vertical Alignment and Grades were taken from design plans, not asbuilt data.

Sheet 2 of 2

LAWRENCE ASSOCIATES

106 W. Jefferson St. Monroe, North Carolina 28112 P 704-289-1013 F 704-283-9035 www.lawrencesurveying.com Firm License Number: C-2856

Final Record Plat of Carringdon - Phase 1- Map 1

Owner: MI Homes of Charlotte, LLC

Town of Weddington Sandy Ridge Township, Union County, NC

Date: January 25, 2017 Orig. scale:

05/09/17 JLH Drawn By: JLH

<u>REVISIONS</u>

Drawing no. 17/022 Drawing file: 3756-4047 RM Phase 1 - Map 1.dwg Job No. 3756-4047